





PARTS TABLE ON PAGE 22

**RIGID/SWIVEL
SPOUT MODELS**
See Page 23

DECKMOUNT SINK FAUCETS

26T1__ __ Series
26T2__ __ Series2 Handle 8" Faucet w/Spray, w/Swing Spout (Pre-1993)
2 Handle 8" Faucet 1/Spray, w/Swing Spout

ITEM #	PART #	DESCRIPTION
1	76403	5 Fluted Handle, Screw, Red & Blue Index – 1 of each
2	060148A	Red and Blue Index Kit – 12 of each
3	77189	2-3/4" Hooded Lever Blade Handle, Screw, Red & Blue Index – 1 of each
4	76407-1	Three Arm Cross Handle, Screw, Red & Blue Index – 1 of each
5	76405-1	4" Blade Handle, Screw, Red & Blue Index – 1 of each
6	76406-1	6" Wrist Handle, Screw, Red & Blue Index – 1 of each
7	060448A	Holdown Ring Kit – 2 per
8	060037A	Sani-Guards Kit – 2 per
9	77260 77261	RH Structure & Renewable Seat (<i>opens to the right – see text under each handle for HOT/COLD side requirements</i>) LH Structure & Renewable Seat (<i>opens to the left – see text under each handle for HOT/COLD side requirements</i>)
10	060144A	Renewable Seat Kit – 12 per
11	060451A	8" Wallform Swing Spout (<i>For Additional Wallform Swing Spouts, See Page 101</i>)
12	77144	Female Moderator and Wrench (#16)
13	77142	Female Aerator-Not Vandal Resistant
14	77158	Female Aerator and Wrench (#16)
15	060052A	Spout "O" Ring Kit – 24 per
16	17195	Wrench for Vandal Resistant Outlets
17	060269A 060455A 060456A 060457A	8" Tubular Swing Spout 11" Tubular Swing Spout 14" Tubular Swing Spout 16" Tubular Swing Spout (<i>For Additional Tubular Swing Spouts, see Page 101</i>)
18	060440A	Drive Bit for Handle Screws
19	060437A	Hold Down Package- Lockwashers, Locknuts, and Coupling Nuts – 2 of each
20	RP6015	Hose Guide
21	W76005-1	Spray Valve and Hose Assembly (<i>No Hose Guide</i>)
22	060140A	Stem "O" Ring Kit – 24 per
23	060142A	Structure "O" Ring Kit – 24 per
24	060139A	Seat Washer Kit – 24 per
25	060243A	Screw – 6 per
26	060021A	Bulk Structure Repair Kit – 12 Seat washers (#24), 2 Screws (#25), 24 Stem "O" Rings (#22), 6 Structure "O" Rings (#23), 4 Seats (#10), 18 Structure Fibre Washers (<i>Not Shown</i>)
27	060146A	7/8" Long Handle Screws – 12 per
28	060145A	1 1/16" Long Handle Screws – 12 per
29	060447A	Copper Inlet Bushing Kit – 12 per
30	W76557	Diverter Assembly (pre-1993)
31	060379A	Coverplate




**PARTS TABLE
ON PAGE 24**

SWING SPOUT MODELS
See Page 21




ITEM #	PART #	DESCRIPTION
1	76403	5 Fluted Handle, Screw, Red & Blue Index – 1 of each
2	060148A	Red and Blue Index Kit – 12 of each
3	77189	2-3/4" Hooded Lever Blade Handle, Screw, Red & Blue Index – 1 of each
4	76407-1	Three Arm Cross Handle, Screw, Red & Blue Index – 1 of each
5	76405-1	4" Blade Handle, Screw, Red & Blue Index – 1 of each
6	76406-1	6" Wrist Handle, Screw, Red & Blue Index – 1 of each
7	060448A	Holdown Ring Kit – 2 per
8	060037A	Sani-Guards Kit – 2 per
9	77260	RH Structure & Renewable Seat (<i>opens to the right – see text under each handle for HOT/COLD side requirements</i>)
	77261	LH Structure & Renewable Seat (<i>opens to the left – see text under each handle for HOT/COLD side requirements</i>)
10	060144A	Renewable Seat Kit – 12 per
11	76842	Female Rose Spray and Drive Bit (#18)
12	77144	Female Moderator and Wrench (#16)
	060278A	Old Style Female Moderator and Wrench for Spouts with Non-Recessed Ends (<i>See Spout Ends Diagram</i>)
13	77142	Female Aerator – Not Vandal Resistant
	060280A	Old Style Female Aerator for Spouts with Non-Recessed Ends (<i>See Spout End Diagram</i>)
14	77158	Female Aerator and Wrench (#16)
	060279A	Old Style Female Aerator and Wrench for Spouts with Non-Recessed Ends (<i>See Spout Ends Diagram</i>)


ITEM #	PART #	DESCRIPTION
15	77322	Female 0.5 GPM Outlet and Wrench (#16)
	060281A	Old Style Female 0.5 GPM Outlet and Wrench for Spouts with Non-Recessed Ends (<i>See Spout Ends Diagram</i>)
16	17195	Wrench for Vandal Resistant Outlets
17	76860-2	6.0" Radius Rigid/Swivel Gooseneck Spout – Threaded End (<i>For Additional Rigid/Swivel Threaded End Spout Variations, see Page 99</i>)
18	060440A	Drive Bit for Handle Screws and Rose Spray Outlet
19	060437A	Hold Down Package – Lockwashers, Locknuts, Coupling Nuts – 2 of each
20	W76005-1	Spray Valve and Hose Assembly (<i>No Hose Guide</i>)
21	RP6015	Hose Guide
22	060140A	Stem "O" Ring Kit – 24 per
23	060142A	Structure "O" Ring Kit – 24 per
24	060139A	Seat Washer Kit – 24 per
25	060243A	Screw – 6 per
26	060021A	Bulk Structure Repair Kit – 12 Seat washers (#24), 2 Screws (#25), 24 Stem "O" Rings (#22), 6 Structure "O" Rings (#23), 4 Seats (#10), 18 Structure Fibre Washers (<i>Not Shown</i>)
27	060146A	7/8" Long Handle Screws – 12 per
28	060145A	1 1/16" Long Handle Screws – 12 per
29	060447A	Copper Inlet Bushing Kit – 12 per
30	W76557	Diverter Assembly (pre-1993)
31	060379A	Coverplate
32	060380A	Rigid/Swivel Adaptor and "O" Ring
33	060059A	"O" Ring Kit – 12 per
34	76860-2FC	6.0" Radius Rigid/Swivel Gooseneck Spout – Smooth End (<i>For Additional Smooth End Spout Variations, see Page 99</i>)
35	060373A	Spout Nut
36	060245A	Retaining Ring Kit – 6 per
37	060244A	Rigid Collar Kit (Brass) – 6 per
	060246A	Swivel Collar Kit (Plastic) – 6 per
38	060143A	Spout "O" Ring Kit – 24 per
39	060318A	Inlet Flow Control Kit – 6 per
40	060026A	Spout Repair Kit – 1 Rigid Brass Collar (#37), 6 Retaining Rings (#36), 6 Swivel Plastic Collars (#37), 12 Spout "O" Rings (#38), 1 Spout Nut (#35)




GROUP No. 1
GOOSENECK –
(MALE THREADED END)




GROUP No. 2
GOOSENECK SMOOTH END
(FLOW CONTROL IN BASE OF SPOUT)



GROUP No. 3
ANGLE VB SPOUTS
(MALE THREADED END)




GROUP No. 4
WATERFALL SPOUTS
(FEMALE THREADED END)




GROUP No. 5
DOUBLE JOINTED SPOUTS
(MALE THREADED END)

NOTE:
MALE THREADED ENDS
– REQUIRE OUTLETS WITH A 55/64\" DIA.
– 27 THREADS/INCH FEMALE THREAD
FEMALE THREADED ENDS
– REQUIRE OUTLETS WITH A 15/16\" DIA.
– 27 THREADS/INCH MALE THREAD


PARTS TABLE ON PAGE 100



GROUP No. 6
PLAIN SPOUTS
(MALE THREADED END)




GROUP No. 6
PLAIN VACUUM BREAKERS SPOUTS
(MALE THREADED END)




GROUP No. 7
INLINE VB SPOUTS
(MALE THREADED END)


SPOUT GROUP NUMBER	RP PART Number ONLY	RIGID/SWIVEL SPOUT DESCRIPTION	"A"		"C"		"L"		"ADD-ON" SUFFIX NUMBER
			mm	in.	mm	in.	mm	in.	
1	76860-6	Gooseneck Spout*	89	3.5	51	2	173	6.8	R1
	76860	Gooseneck Spout	114	4.5	104	4.1	170	6.7	R2
	76860-7	Gooseneck Spout	152	6	124	4.9	56	2.2	R3
	76860-2	Gooseneck Spout	152	6	124	4.9	146	5.8	R4
	76860-3	Gooseneck Spout	152	6	124	4.9	188	7.4	R5
	76860-4	Gooseneck Spout	152	6	124	4.9	229	9	R6
	76860-5	Gooseneck Spout	229	9	163	6.4	170	6.7	R7
	76860-8	Gooseneck Spout	229	9	163	6.4	348	13.7	R8
2	76860FC	GN Spout w/Flow Cont.	114	4.5	97	3.8	178	7	R2
	76860-7FC	GN Spout w/Flow Cont.	152	6	117	4.6	64	2.5	R3
	76860-2FC	GN Spout w/Flow Cont.	152	6	117	4.6	152	6	R4
	76860-3FC	GN Spout w/Flow Cont.	152	6	117	4.6	196	7.7	R5
	76860-4FC	GN Spout w/Flow Cont.	152	6	117	4.6	236	9.3	R6
	76860-5FC	GN Spout w/Flow Cont.	229	9	155	6.1	178	7	R7
	76860-8FC	GN Spout w/Flow Cont.	229	9	155	6.1	356	14	R8
3	060293A	Angle VB GN Spout	152	6	135	5.3	147	5.8	R21
	060128A	Angle VB GN Spout	152	6	135	5.3	188	7.4	R9
	060129A	Angle VB GN Spout	203	8	135	5.3	188	7.4	R10
	060130A	Angle VB GN Spout	229	9	135	5.3	188	7.4	R11
	060131A	Angle VB GN Spout	305	12	135	5.3	188	7.4	R12
	060192A	Waterfall Spout	114	4.5	25	1	122	4.8	R13
4	060190A	Waterfall Spout	114	4.5	25	1	195	7.7	R14
	060191A	Waterfall Spout	216	8.5	25	1	195	7.7	R15
5	060189A + 060452A	Double Joint Spout	309	12.2	38	1.5	175	6.9	R16
	060189A + 060269A	Double Joint Spout	359	14.1	38	1.5	218	8.6	R17
	060189A + 060455A	Double Joint Spout	448	17.6	29	1.1	175	6.9	R18
	77130	Plain Spout	81	3.2	33	1.3	38	1.5	R27
6	060301A	Plain Spout	143	5.6	33	1.3	38	1.5	R31
	77131	Plain Spout	203	8	33	1.3	38	1.5	R19
	060271A	Plain VB Spout	89	3.5	33	1.3	43	1.7	R28
	77135-0	Plain VB Spout	203	8	33	1.3	43	1.7	R20
	060297A	Inline VB Spout	108	4.3	33	1.3	31	1.2	R29
7	060449A	Inline VB Spout	203	8	33	1.3	38	1.5	R30



GROUP No. 1
(MALE THREADED END)



GROUP No. 2
(MALE THREADED END)



GROUP No. 3
(MALE THREADED END)

NOTE:

MALE THREADED ENDS – REQUIRE OUTLETS WITH A 55/64" DIA. – 27 THREADS/INCH FEMALE THREAD

SPOUT GROUP NUMBER	RP PART NUMBER ONLY	SWING SPOUT DESCRIPTION	"X" Degrees	"A"		"C"		"L"		"ADD-ON" SUFFIX NUMBER
				mm	in.	mm	in.	mm	in.	
1	060450A	6" "D" Section Spout	5	165	6.5	15	0.6	102	4	S1
	060451A	8" "D" Section Spout	5	206	8.1	15	0.6	130	5.1	S2
2	060452A	6" Tubular Spout	15	140	5.5	38	1.5	107	4.2	S3
	060453A	8" Tubular Spout	15	185	7.3	41	1.6	165	6.5	S4
	060269A	8" Tubular Spout	15	185	7.3	41	1.6	147	5.8	S5
	060454A	9" Tubular Spout	16.5	229	9	28	1.1	91	3.6	S6
	060455A	11" Tubular Spout	16.5	277	10.9	28	1.1	104	4.1	S7
	060456A	14" Tubular Spout	16.5	351	13.8	28	1.1	127	5	S8
3	060457A	16" Tubular Spout	16.5	399	15.7	28	1.1	142	5.6	S9
	060458A	3.5" Tubular GN Spout	25	98	3.7	51	2	137	5.4	S10
	060459A	7.25" Tubular GN Spout	15	198	7.3	89	3.5	165	6.5	S11