

#### aymor BATH ACCESSORIES




#### **RECESSED** TISSUE DISPENSER

- INCLUDES #8 x 1-1/4" (32mm) SCREWS
- WALL OPENING: 10-3/4" (272 mm) x 5" (127 mm) RECESSED CONTAINER
- CONSTRUCTION: GALVANIZED SHEET METAL 0.031" (0.8 mm) - 22 GAUGE WALL THICKNESS **FACE PLATE**
- CONSTRUCTION: COLD ROLLED POLISHED CHROME PLATED STEEL 0.031" (0.8 mm) - 22 GAUGE WALL THICKNESS

C26 POLISHED CHROME PKG С 01-1010 C = CONTRACTOR PACK





11-15/16 (303mm)

10-11/16

(271mm)

**←**4-7/8"→

[124mm]

· 2-3/8 (60mm)

CASE PACK

6

CASE PACK

50

5

4

01-101S

02-D101S

6" (152mm)

2-3/16" (55.56mm) ‡

PKG

С

R

#### RECESSED PAPER HOLDER

- POSTS SECURELY RIVETED TO HOUSING
- COUNTERSUNK MOUNTING HOLES
- WALL OPENING: 5-1/8" (130 mm) x 5-1/8" (130 mm)
- INCLUDES #10 x 2" (50.80 mm) MOUNTING SCREWS ROLLER
- CONSTRUCTION: WHITE PLASTIC WITH SPRING TENSION

C = CONTRACTOR PACK / R = RETAIL PACK



#### 6-1/8" (156mm) (127mm) 1-3/32 (28mm) 6-1/8" 1-25/32 (156mm) 5-23/32" (145mm) HOLES 4-1/32" C-C (102mm)

02-D101SSN

### **RECESSED** PAPER HOLDER

- POSTS SECURELY RIVETED TO HOUSING
- COUNTERSUNK MOUNTING HOLES
- WALL OPENING: 5-1/8" (130 mm) x 5-1/8" (130 mm)
- INCLUDES #10 x 2" (50.80 mm) MOUNTING SCREWS FOR SCREW-IN APPLICATION ROLLER

| CONSTRUCTION: WHITE PLASTIC WITH | SPRING TENSION | PKG | C26<br>POLISHED CHROME | CASE PACK |
|----------------------------------|----------------|-----|------------------------|-----------|
| CEMENT-IN                        |                | С   | 01-1863C               | 50        |
| SCREW-IN                         |                | С   | 01-1863S               | 50        |

C = CONTRACTOR PACK




#### **BATH ACCESSORIES**



#### TWIN RECESSED PAPER HOLDER

- RECESSED CONTAINER HOUSING WITH COUNTERSUNK MOUNTING HOLES
- INCLUDES #8 x 1-1/4" (32mm) MOUNTING SCREWS FOR SCREW-IN APPLICATION
- WALL OPENING: 11-3/16 (284mm) x 5-1/8 (130mm)
- POSTS SECURELY RIVETED TO HOUSING **ROLLER**
- CONSTRUCTION: WHITE PLASTIC WITH SPRING TENSION

C = CONTRACTOR PACK



| PKG | C26<br>POLISHED CHROME | CASE PACK |
|-----|------------------------|-----------|
| С   | 01-TW101S              | 10        |
|     |                        |           |

1/4" (6mm)

4" (102mm)

2-3/4"


#### RECESSED EXTRA ROLL PAPER HOLDER



- INCLUDES #8 x 1-1/4" (32mm) MOUNTING SCREWS FOR SCREW-IN APPLICATION
- WALL OPENING: 5-5/16 [135mm] x 5-5/16 [135mm]
- POSTS SECURELY RIVETED TO HOUSING

#### RECESSED CONTAINER

- CONSTRUCTION: GALVANIZED SHEET METAL **ROLLER**
- CONSTRUCTION: WHITE PLASTIC WITH SPRING TENSION



| PKG | C26<br>POLISHED CHROME | CASE PACK |
|-----|------------------------|-----------|
| С   | 01-1070                | 10        |

C = CONTRACTOR PACK




#### **RECESSED** SOAP HOLDER

- RECESSED CONTAINER HOUSING WITH COUNTERSUNK MOUNTING HOLES
- INCLUDES #10 x 2" (51mm) MOUNTING SCREWS FOR SCREW-IN APPLICATION
- WALL ODENING, 5 1/9" (120 mm) v 5 1/9" (120 mm)

| NON-REMOVABLE SOAP DISH  (130.HIIII) x 3-1/ 6 (130.HIIII)  NON-REMOVABLE SOAP DISH | PKG | C26<br>POLISHED CHROME | CASE PACK |
|--|-----|------------------------|-----------|
| CEMENT-IN  | С   | 01-1861C               | 50        |
| SCREW-IN   | С   | 01-1861S               | 50        |
| C - CONTRACTOR DACK  |     |                        |           |






#### **Taymor** BATH ACCESSORIES

# RECESSED SOAP HOLDER WITH UTILITY BAR

- POSTS SECURELY RIVETED TO HOUSING
- COUNTERSUNK MOUNTING HOLES
- INCLUDES #10 x 2" (50.80mm) MOUNTING SCREWS
- WALL OPENING: 5-1/8" (130mm) x 5-1/8" (130mm) UTILITY BAR
- CONSTRUCTION: DIECAST STAINLESS STEEL #4 IN GENERAL PURPOSE FINISH SOAP HOLDER
- INCLUDES A REMOVABLE PLASTIC SOAP TRAY WITH MOUNTING SLOTS ON EACH SIDE





| PKG | C26<br>POLISHED CHROME | CASE PACK |
|-----|------------------------|-----------|
| С   | 01-102S                | 50        |
| R   | 02-D102S               | 5         |

5" (127mm)

0

0

1/4" (6mm)

HOLES 3-15/16" C-C (100mm)

1-1/8" (29mm)

1-7/8" (48mm)

6-1/8" (156mm)

C = CONTRACTOR PACK / R = RETAIL PACK

# RECESSED SOAP HOLDER WITH UTILITY BAR


- POSTS SECURELY RIVETED TO HOUSING
- COUNTERSUNK MOUNTING HOLES

C = CONTRACTOR PACK

• INCLUDES #10 x 2" (50.80mm) MOUNTING SCREWS

| WALL OPENING: 5-1/8" (130mm) x 5-1/8" (130mm) UTILITY BAR CONSTRUCTION: CHROME PLATED ZINC ALLOY | 6-1/8"<br>[156mm] |                        |         |  |
|--|-------------------|------------------------|---------|--|
| NON-REMOVABLE SOAP DISH  | PKG               | C26<br>POLISHED CHROME | CASE PA |  |
| CEMENT-IN  | С                 | 01-1862C               | 50      |  |
| SCREW-IN   | С                 | 01-1862S               | 50      |  |





#### INSTALLATION CLAMP

- FOR ALL SCREW MOUNT RECESSED FIXTURES
- CONSTRUCTION: STAMPED STEEL
- 1-3/8" x 7-3/8" (35mm x 187mm)


| • 1-3/8 x 7-3/8 (35mm x 18/mm) | PKG | STAMPED STEEL | CASE PACK |
|--------------------------------|-----|---------------|-----------|
| INSTALLATION CLAMP             | R   | 02-D1003      | 10        |
| D_DETAIL DACK                  |     |               |           |



#### BATH ACCESSORIES



- EXPOSED SURFACE MOUNT APPLICATION
- INCLUDES #10 x 1" (25mm) MOUNTING SCREWS FOR SCREW-IN APPLICATION
- DRILLED HOLES 3-1/4" (83mm) CENTER TO CENTER
- LOCKING DEVICE PREVENTS REMOVAL OF ROLL UNTIL PAPER IS USED
- SPRING TENSION ARMS CONTROL PAPER FLOW



| PKG | C26<br>POLISHED CHROME | CASE PACK |
|-----|------------------------|-----------|
| O   | 01-F1015               | 25        |


C = CONTRACTOR PACK





# DOUBLE FIXED PAPER HOLDER

- EXPOSED SURFACE MOUNT APPLICATION
- INCLUDES #10 x 1" (25mm) MOUNTING SCREWS FOR SCREW-IN APPLICATION
- DRILLED HOLES 8-1/8" (206mm) CENTER TO CENTER
- LOCKING DEVICE PREVENTS REMOVAL OF ROLL UNTIL PAPER IS USED
- SPRING TENSION ARMS CONTROL PAPER FLOW



| PKG | C26<br>POLISHED CHROME | CASE PACK |
|-----|------------------------|-----------|
| С   | 01-F1030               | 25        |

C = CONTRACTOR PACK



#### TWIN SURFACE MOUNT PAPER HOLDER

- EXPOSED SURFACE MOUNT APPLICATION
- INCLUDES #10 x 1" (25mm) MOUNTING SCREWS FOR SCREW-IN APPLICATION
- DRILLED HOLES 5-1/2" (140mm) CENTER TO CENTER
- GREY PLASTIC ROLLER

|                  | H0LES<br>5-1/2" C-C<br>(140mm) |
|------------------|--------------------------------|
| 3"<br>(76mm)     | 5-3/4" (146mm)                 |
| 2-1/4"<br>(57mm) |                                |
|                  | 13"<br>(330mm)                 |

| PKG | C26<br>POLISHED CHROME | CASE PACK |
|-----|------------------------|-----------|
| С   | 01-TW301S              | 20        |
|     |                        |           |

C = CONTRACTOR PACK