Technical Information Bulletin




ORDERING INFORMATION

Order code: 63619

Description: LED/G9/2.5W/30K/STD

UPC: 069549636194

Case quantity: 200



PERFORMANCE DATA

Shape: JD Wattage (W): 3 Base: G9 Lamp voltage (VAC): 120 Colour temperature (K)**: 3 000 Average life (L70 hours): 20 000 Initial lumens (lm)*: 200 Initial lumens per watt (lm/W): 67 CRI: 80 Beam angle: 300

-20 °C / -4 °F to 40 °C / 104 °F Operating temperature range:

*Initial lumens range: +/- 5 %

Power factor:

**Typical colour temperature range: +/- 5 %

1















COMPATIBLE DIMMER LIST

Cooper: AAL06 Leviton: IPL06 Lutron: CTCL-153P

CAUTIONS

• Risk of electric shock, for use in dry locations only.
• Suitable for use in open luminaires.
• For complete dimmer compatibility and warranty information visit www.standardpro.com
• Operating temperature: -20 °C/-4 °F to 40 °C/104 °F
NOTES: This device complies with Part 15 of the FCC rules and has been tested and found to comply with the limits for a Class B digital device. This product may cause interference with other devices. If interference occurs, change the location of the product. Any changes or modifications not expressively approved by the manufacturer could void the user's authority to operate the equipment. This RFLD device complies with Canadian ICES-003. LED lamps must be stored, operated under suitable environmental conditions and in accordance with, but not limited to, the latest National Electrical Code, cETLus, cULus, CSA and ANSI specifications.

