


Date: _____
 In hands date of project: _____
 Project name/Number: _____
 Name of distributor: _____
 Client #: _____
 Name of end user: _____



ORDERING INFORMATION

Order code: 64531
 Description: LED/ST19/6W/22K/A/S/FIL/STD
 UPC: 69549645318
 Case quantity: 100

PERFORMANCE DATA

Type: LED Filament Victorian Style - Long Life
 Shape: ST19
 Wattage (W): 6
 Lamp voltage (VAC): 120
 Finish: Amber
 Colour temperature: 2 200
 Average life: 25 000
 Initial lumens (lm)*: 450
 Initial lumens per watt (lm/W): 75
 Incandescent equivalent: 40
 CRI: 95
 Beam angle: 360°
 Power factor: 0.9
 Operating temperature range: -40°C/40°F to 120°C/248°F
 Base: E26
 Burning position: Universal

*Initial lumens range: +/- 5 %

**Typical colour temperature range: +/- 5 %



INDOOR



DIMMABLE



DAMP



WARRANTY



COMPLIANT



NO MERCURY



¹ Based on an average daily usage of 3 hours.

ORDERING INFORMATION

Order code: 64531
 Description: LED/ST19/6W/22K/A/S/FIL/STD
 UPC: 69549645318
 Case quantity: 100

COMPATIBLE DIMMER LIST

Cooper DAL06P
Lutron DVELV-300P, SELV-300P, NTELV-600

CAUTIONS

- Turn power off before inspection, installation, or removal.
- Risk of electrical shock – do not use where directly exposed to water or weather.
- Suitable for use in damp locations.
- Do not open – no user serviceable parts inside.
- Use only on 120 VAC, 50/60Hz circuits.
- This device is not intended for use with emergency exit fixtures or emergency exit lights.
- Compatible with most dimmers.
- For complete dimmer and warranty information visit www.standardpro.com.
- Operating temperature:
 -40C/40F to 120C/248F.
- 3 Years Limited Warranty.

NOTES: This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference and (2) this device must accept any interference received, including interference that may cause undesired operation. Any changes or modifications not expressly approved by the manufacturer could void the user's authority to operate the equipment. This RFLD device complies with Canadian ICES-003. LED lamps must be stored, operated under suitable environmental conditions and in accordance with, but not limited to, the latest National Electrical Code, cETLus, cULus, CSA and ANSI specifications.

Qty	Description	Price

I accept the specifications of the lamp configuration mentioned above.

Name: _____

Company: _____

Signature: _____

Date: _____